

POWER TEAM®


SPX Fluid Power 5885 11th Street Rockford, IL 61109-3699 USA Tech. Services: (800) 477-8326 Fax: (800) 765-8326 Order Entry. (800) 541-1418 Fax: (800) 288-7031

Internet Address: http://www.powerteam.com

Parts List for:


PMA55 PMA55S PME55 PME55S PME55S-50-220

PUMP AND CART MODULE



Item No.	Part No.	No. Reg'd	Description					
		1104 0	2000					
1	65271	1	Electric Pump (110/115 V., 50/60 Hz.; For PME	55;				
			See Form No. 101724)					
	65273	1	Air Pump (For PMA55; See Form No. 101722)					
65269		1	Electric Pump (110/115 V., 50/60 Hz.; Form PME55S;					
			See Form No. 101725)					
65269-50-220) 1	(for PME55S-50-20;					
(220v., 50 Hz.)			See Form No. 101725)					
	65305	1	Air Pump (For PMA55S; See Form No. 101723)					
2	65105	1	Power Lift Cart					
3	12004	4	Washer					
4	10076	4	Cap Screw (1/2-20 x 7/8 Lg.)	Sheet No.	1 of 2			
•		•						
				Rev. 2	Date: 16 May 2006			


DETAIL Z VALVE CONNECTIONS (For PMA55 & PME55)



Item No.	Part No.	No. Req'd	Description
1	9792	1	Quick Coupler (Female)
2	9800	2	Dust Cap
3	9680	1	Coupling Fitting
4	9793	1	Quick Coupler (Male)
5	36890	2	Polyurethane Hose (2 ft.)
6	9682	1	Nipple Fitting
7	9686	1	90° Elbow Fitting
8	9681	1	Street Elbow Fitting
9	250917	1	Decal (Advance – Hold – Retract)

Parts List Form No. 101731


DETAIL Z VALVE CONNECTIONS (For PMA55S & PME55S)



Item No.	Part No.	No. Req'd	Description
1	9792	1	Quick Coupler (Female)
2	9800	2	Dust Cap
3	9680	1	Coupling Fitting
4	36890	1	Polyurethane Hose (2 ft.)
5	9674	2	Reducer Fitting
6	9686	2	90° Elbow Fitting
7	36891	1	Polyurethane Hose (3-1/4 ft.)
8	9793	1	Quick Coupler (Male)

Sheet No.	2 of 2
Rev. 2	Date: 16 May 2006

VIEW X-X



Refer to any operating instructions included with this product for detailed information about operation, testing, disassembly, reassembly, and preventive maintenance.

Items found in this parts list have been carefully tested and selected. **Therefore: Use only genuine Power Team replacement parts!**

Additional questions can be directed to our Technical Services Department.